DISINFECTION

Biocyst Choose efficacy





www.biolinklimited.co.uk





BROAD EFFICACY SPECTRUM


Diseases of poultry orders	General orders	TB orders
1:125	1:125	1:15



Newcastle disease	Coccidiosis (120 min)	Salmonella enteritidis	Mycobacterium avium
1:250	1:30	1:200	1:100



COCCIDIOCIDE EFFECT



➤ At a 3% dose, BIOOCYST reduces the number of viable sporulated oocysts in the environment by over 90% by converting them from a highly pathogenic sporulated form to an irregular, non-infecting sporulated form.

FPEF POINTS

ON 10MILLION POULTRY BIRDS

▶ BIOOCYST is effective on excreted endoparasites, including un-sporulated oocysts.

Regular sporulated Irregular sporulated Unsporulated



TRIED AND TESTED UNDER ACTUAL BREEDING CONDITIONS

PROTOCOL

26 farms in trial over more than 2 years (2013-2015)

▶ 10 million birds across multiple production cycles

STANDARD PROGRAMME **PLATINIUM PROGRAMME Dry cleaning** 1% detergent 2% detergent Scouring QAC / glutaraldehyde disinfection **Drying** Bioocyst 3% disinfection (floor and surfaces up to 1 meter high)

Using Bioocyst for the second disinfection at 3% improved the EPEF score by 30 points (10 million birds study)

60 51 50 40 30 24 20 10 5 Cycle 1 Cycle 2 Cycle 3 EPEF 2013/14 EPEF 2014/15

EPEF: European production efficiency factor

Viability %) x body weight (kg) x 100 Age (d) x FCR (kg feed / kg gain)

national/international regulations.

acid, 4-C10-13-sec-alkyl derivs., P-Chloro-M-Cresol 25%

PRODUCT INFORMATION BEFORE USE.

PACK SIZES AVAILABLE: 5KG - 25KG - 200KG - 1000KG

Source: UK trials, 26 broiler farms, 2013-2015

THESEO Biolink





Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction.

OF USE

Do not breathe mist or vapour. Wash thoroughly after handling. Do not eat, drink or smoke when using this

product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately

clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/

Contains: 2-Butoxyethanol, Acetic acid, Benzenesulfonic

USE BIOCIDES SAFELY. ALWAYS READ THE LABEL AND