

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture	BioVX
Registration number	-
Synonyms	None.
Issue date	20-July-2015
Version number	02
Revision date	10-February-2017
Supersedes date	20-July-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	BIOCIDAL PRODUCT -PT3: veterinary hygiene disinfectant - PT4: food and feed area disinfectant- PT5: animals drinking water disinfectant - Only for professional use.
Uses advised against	None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name	BIOLINK Limited
Address	Halifax Way Pocklington Ind. Est Pocklington, York, YO42 1NR
Telephone number	+ 44-(0)-1759 303 444
Fax number	+ 44-(0)-1759 303 158
e-mail	paul@biolinklimited.co.uk
Contact	info@biolinklimited.co.uk
1.4. Emergency telephone number	+ 44-(0)-1280-738605 (office hours only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Acute toxicity, oral	Category 4	H302 - Harmful if swallowed.
Skin corrosion/irritation	Category 1B	H314 - Causes severe skin burns and eye damage.
Specific target organ toxicity - single exposure	Category 3 respiratory tract irritation	H335 - May cause respiratory irritation.

Environmental hazards

Hazardous to the aquatic environment, long-term aquatic hazard	Category 2	H411 - Toxic to aquatic life with long lasting effects.
--	------------	---

Hazard summary

Harmful if swallowed. Causes severe skin burns and eye damage. Exposure to powder or dusts may be irritating to eyes, nose and throat. May cause irritation to the respiratory system. Dangerous for the environment if discharged into watercourses.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	Dipotassium Peroxodisulphate, Malic acid, Pentapotassium bis(peroxymonosulphate) bis(sulphate), Sulphamidic Acid
-----------	--

Hazard pictograms



Signal word Danger

Hazard statements

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P260 Do not breathe dust.
P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTRE/doctor.
P363 Wash contaminated clothing before reuse.
P391 Collect spillage.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information EUH208 - Contains Limonene. May produce an allergic reaction.

2.3. Other hazards Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Pentapotassium bis(peroxymonosulphate) bis(sulphate)	<55	70693-62-8 274-778-7	01-2119485567-22-0000	-	
Classification:	Acute Tox. 4;H302, Skin Corr. 1B;H314, Eye Dam. 1;H318, Aquatic Chronic 3;H412				
Reaction product of Benzenesulphonic acid, 4-C10-13 sec-alkyl derivs. and Benzenesulphonic acid, 4-methyl-and sodium hydroxide	10 - < 20	N/A 932-051-8	01-2119485567-22-0000	-	
Classification:	Skin Irrit. 2;H315, Eye Dam. 1;H318, Aquatic Chronic 3;H412				
Malic acid	5-15	6915-15-7 230-022-8	01-2119906954-31-XXXX	-	
Classification:	Eye Irrit. 2;H319				
Sulphamidic Acid	3-10	5329-14-6 226-218-8	01-2119982121-44-XXXX	016-026-00-0	
Classification:	Skin Irrit. 2;H315, Eye Irrit. 2;H319, Aquatic Chronic 3;H412				
Dipotassiun Peroxodisulphate	1 - < 3	7727-21-1 231-781-8	-	016-061-00-1	
Classification:	Ox. Sol. 3;H272, Acute Tox. 4;H302, Skin Irrit. 2;H315, Skin Sens. 1;H317, Eye Irrit. 2;H319, Resp. Sens. 1;H334, STOT SE 3;H335, Aquatic Chronic 3;H412				
Limonene	< 0,2	5989-27-5 227-813-5	01-2119529223-47-XXXX	601-029-00-7	
Classification:	Flam. Liq. 3;H226, Skin Irrit. 2;H315, Skin Sens. 1;H317, Aquatic Acute 1;H400, Aquatic Chronic 1;H410				

List of abbreviations and symbols that may be used above

Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Composition comments The full text for all H-statements is displayed in Section 16. All concentrations are in percent by weight unless otherwise indicated.

SECTION 4: First aid measures

General information	Take off all contaminated clothing immediately. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
4.1. Description of first aid measures	
Inhalation	If dust from the material is inhaled, remove the affected person immediately to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician if symptoms develop or persist.
Skin contact	IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or poison control centre immediately. Chemical burns must be treated by a physician.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control centre immediately. Do not rub eyes.
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Call a physician or poison control centre immediately.
4.2. Most important symptoms and effects, both acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.
4.3. Indication of any immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards	Dust clouds may be explosive under certain conditions.
5.1. Extinguishing media	
Suitable extinguishing media	Water fog. Carbon dioxide (CO ₂). Foam. Dry chemical powder.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	Explosion hazard: Avoid generating dust; fine dust dispersed in air in sufficient concentrations and in the presence of an ignition source is a potential dust explosion hazard. During fire, gases hazardous to health may be formed. Combustion products may include: carbon oxides, metal oxides, sulfur compounds, nitrogen compounds.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. Cool containers exposed to flames with water until well after the fire is out.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	
For non-emergency personnel	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not get in eyes and skin. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Wear a dust mask if dust is generated above exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

6.3. Methods and material for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate the contaminated area. This product is miscible in water. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Minimise dust generation and accumulation. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Minimise dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Keep away from heat. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Do not store near combustible materials. Store away from incompatible materials (see section 10 of the SDS).

7.3. Specific end use(s)

BIOCIDAL PRODUCT -PT3: veterinary hygiene disinfectant - PT4: food and feed area disinfectant- PT5: animals drinking water disinfectant - Only for professional use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

General Population

Components	Value	Assessment factor	Notes
Pentapotassium bis(peroxymonosulphate) bis(sulphate) (CAS 70693-62-8)			
Long-term, Local, Inhalation	0.14 mg/m ³		
Long-term, Systemic, Dermal	10 mg/kg		
Long-term, Systemic, Inhalation	0.14 mg/m ³		
Long-term, Systemic, Oral	10 mg/kg		
Short-term, Local, Dermal	0.22 mg/cm ²		
Short-term, Local, Inhalation	25 mg/m ³		
Short-term, Systemic, Dermal	40 mg/kg		
Short-term, Systemic, Inhalation	25 mg/m ³		
Short-term, Systemic, Oral	10 mg/kg		
Reaction product of Benzenesulphonic acid, 4-C10-13 sec-alkyl derivs. and Benzenesulphonic acid, 4-methyl-and sodium hydroxide (CAS N/A)			
Long-term, Systemic, Dermal	85 mg/kg		
Long-term, Systemic, Inhalation	3 mg/m ³		
Long-term, Systemic, Oral	0.85 mg/kg		

Workers

Components	Value	Assessment factor	Notes
Pentapotassium bis(peroxymonosulphate) bis(sulphate) (CAS 70693-62-8)			
Long-term, Local, Inhalation	0.28 mg/m ³		
Long-term, Systemic, Dermal	20 mg/kg		
Long-term, Systemic, Inhalation	0.28 mg/m ³		
Short-term, Local, Dermal	0.449 mg/cm ²		
Short-term, Local, Inhalation	50 mg/m ³		
Short-term, Systemic, Dermal	80 mg/kg		
Short-term, Systemic, Inhalation	50 mg/m ³		
Reaction product of Benzenesulphonic acid, 4-C10-13 sec-alkyl derivs. and Benzenesulphonic acid, 4-methyl-and sodium hydroxide (CAS N/A)			
Long-term, Systemic, Dermal	170 mg/kg		

Long-term, Systemic, Inhalation 12 mg/m³

Predicted no effect concentrations (PNECs)

Components	Value	Assessment factor	Notes
Pentapotassium bis(peroxymonosulphate) bis(sulphate) (CAS 70693-62-8)			
Freshwater	0.022 mg/l		
Intermittent releases	0.0109 mg/l		
Marine water	0.002 mg/l		
Sediment (freshwater)	0.017 mg/kg		
Sediment (marine water)	0.00174 mg/kg		
Soil	0.885 mg/kg		
STP	108 mg/l		
Reaction product of Benzenesulphonic acid, 4-C10-13 sec-alkyl derivs. and Benzenesulphonic acid, 4-methyl-and sodium hydroxide (CAS N/A)			
Freshwater	0.268 mg/l		
Intermittent releases	0.055 mg/l		
Marine water	0.028 mg/l		
Sediment (freshwater)	8.1 mg/l		
Sediment (marine water)	8.1 mg/l		
Soil	35 mg/kg		

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL (occupational exposure limit), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

General information

Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection

Wear safety glasses with side shields (or goggles). When working with powders or dusts, wear dust-proof chemical goggles and face shield unless full facepiece respiratory protection is worn.

Skin protection

- Hand protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier. Frequent change is advisable.

- Other

Wear appropriate chemical resistant clothing.

Respiratory protection

Chemical respirator with organic vapour cartridge, full facepiece, dust and mist filter.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

Environmental exposure controls

Inform appropriate managerial or supervisory personnel of all environmental releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state

Solid.

Form

Powder.

Colour

Pink.

Odour

Lemon

Odour threshold

Not available.

pH

1.5-2.75 at 20 °C, 1% solution

Melting point/freezing point

Not available.

Initial boiling point and boiling range

Not applicable.

Flash point

Not applicable.

Evaporation rate

Not applicable.

Flammability (solid, gas)	Not flammable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not flammable
Flammability limit - upper (%)	Not flammable
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	1.07
Solubility(ies)	Complete in water.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not concerned.
Decomposition temperature	Not available.
Viscosity	Not applicable.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
9.2. Other information	No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Heat. Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
10.5. Incompatible materials	Reducing Agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely routes of exposure	
Inhalation	Dust may irritate respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns.
Symptoms	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Upper respiratory tract irritation.
11.1. Information on toxicological effects	
Acute toxicity	Harmful if swallowed.
Skin corrosion/irritation	Causes severe skin burns and eye damage.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory sensitisation	Based on available data, the classification criteria are not met.
Skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
IARC Monographs. Overall Evaluation of Carcinogenicity	
Limonene (CAS 5989-27-5)	3 Not classifiable as to carcinogenicity to humans.
Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	May cause respiratory irritation.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.

Mixture versus substance information No information available.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Toxic to aquatic life with long lasting effects.

Product		Species	Test results
BioVX (CAS Mixture)			
	Aquatic		
	<i>Acute</i>		
	Algae	EC50 Pseudokirchnerella subcapitata	6.48 mg/l, 72 Hours OECD 201
		ErC50 Pseudokirchnerella subcapitata	7.56 mg/l, 48 hours OECD 201
		LOEC Pseudokirchnerella subcapitata	10 mg/l, 72 hours per event
		NOErC Pseudokirchnerella subcapitata	3.2 mg/l, 72 hours OECD 201
	Crustacea	EC50 Daphnia magna	21.92 mg/l, 24 hours OECD 202
			17.74 mg/l, 48 Hours OECD 202
		NOEC Daphnia magna	12.5 mg/l, 48 Hours OECD 202
	Fish	LC50 Rainbow trout (Oncorhynchus mykiss)	> 7.66 mg/l, 96 Hours No mortalities. OECD 203
		NOEC Rainbow trout (Oncorhynchus mykiss)	> 7.66 mg/l, 96 Hours No mortalities. OECD 203

12.2. Persistence and degradability No data is available on the degradability of this product.

12.3. Bioaccumulative potential No data available.

Partition coefficient n-octanol/water (log Kow)

Limonene (CAS 5989-27-5) 4.232

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB assessment Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

EU waste code Product: 07 06 99
Packaging: 15 01 10*

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR	
14.1. UN number	UN3260
14.2. UN proper shipping name	Corrosive solid, acidic, inorganic, n.o.s. (Pentapotassium bis(peroxymonosulphate) bis(sulphate))
14.3. Transport hazard class(es)	
Class	8
Subsidiary risk	-

Label(s) 8
Hazard No. (ADR) –
Tunnel restriction code E
14.4. Packing group II
14.5. Environmental hazards Yes
14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

RID

14.1. UN number UN3260
14.2. UN proper shipping name Corrosive solid, acidic, inorganic, n.o.s. (Pentapotassium bis(peroxymonosulphate) bis(sulphate))
14.3. Transport hazard class(es)
Class 8
Subsidiary risk -
Label(s) 8
14.4. Packing group II
14.5. Environmental hazards Yes
14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

ADN

14.1. UN number UN3260
14.2. UN proper shipping name Corrosive solid, acidic, inorganic, n.o.s. (Pentapotassium bis(peroxymonosulphate) bis(sulphate))
14.3. Transport hazard class(es)
Class 8
Subsidiary risk -
Label(s) 8
14.4. Packing group II
14.5. Environmental hazards Yes
14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

14.1. UN number UN3260
14.2. UN proper shipping name Corrosive solid, acidic, inorganic, n.o.s. (Pentapotassium bis(peroxymonosulphate) bis(sulphate))
14.3. Transport hazard class(es)
Class 8
Subsidiary risk -
14.4. Packing group II
14.5. Environmental hazards Yes
ERG Code 8L
14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

14.1. UN number UN3260
14.2. UN proper shipping name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Pentapotassium bis(peroxymonosulphate) bis(sulphate))
14.3. Transport hazard class(es)
Class 8
Subsidiary risk -
14.4. Packing group II
14.5. Environmental hazards
Marine pollutant Yes
EmS F-A, S-B
14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Sulphamidic Acid (CAS 5329-14-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Dipotassiun Peroxodisulphate (CAS 7727-21-1)

Limonene (CAS 5989-27-5)

Other regulations

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations

Young people under 18 years old are not allowed to work with this product according to the EU Directive 94/33/EC on the protection of young people at work. Follow national regulation for work with chemical agents.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

CLP: Regulation No. 1272/2008.
PBT: Persistent, bioaccumulative and toxic.
vPvB: Very Persistent and very Bioaccumulative.
TWA: Time weighted average.
STEL: Short term exposure limit.
TLV: Threshold Limit Value.

References

ESIS (European chemical Substances Information System)

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H226 Flammable liquid and vapour.
H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Training information

Follow training instructions when handling this material.

Disclaimer

BIOLINK Limited cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment. The information in the sheet was written based on the best knowledge and experience currently available.